

RIB

PROTECTORS



CATALOGUE 2026.01


TECHNOLOGY

J-FLEX technology was designed to create safety devices in the sports sector and karting world. JECKO has deployed economic resources and approximately 24 months from the first laboratory tests to the final patenting phase to obtain it.

J-FLEX is a “sandwich” of hi-tech materials. This technology, characterized by a carbon fiber core completely embedded in rubber material, determines a product that has at the same time high impact resistance and extreme flexibility.

The new RIB-PROTECTOR product line by JECKO made with the new J-FLEX technology is used in the karting world to protect drivers while driving.

J·FLEX CARBON



**IT WILL BE A SECOND
SKIN FOR YOU**

PRODUCT FEATURES



ERGONOMIC

ERGONOMIC

Each element that makes up the rib protector has been designed taking into account ergonomics for use and wearability.



ANTI
VIBRATION

ANTI VIBRATION

The elasticity of the body reduces the vibrations that the seat transmits to the driver.



ANTI
ABRASION

ANTI ABRASION

The external film that covers the rib protector is tested to be used in conditions of high stress due to rubbing.



BREATHABLE
PADDING

BREATHABLE PADDING

Studied and designed to cushion stress during driving and improve breathability especially in high temperature conditions in order to guarantee the best comfort for the rider.



PRODUCT FEATURES



ULTRA
SLIM

ULTRA SLIM

The in-depth study of the torso anatomy combined with J-FLEX technology has allowed JECKO technicians to create a product with an ultra-compact design. All the accessories that make up the rib protector have been designed with this philosophy.



ULTRA
LIGHT

ULTRA LIGHT

The use of a cutting-edge material such as carbon fiber to create the core of the body and front has allowed us to reduce its weight to a minimum.



UNIQUE
PIECE

UNIQUE PIECE

The molding technology developed by JECKO, currently in the patent phase, has allowed the creation of an object with unique characteristics of comfort, safety and design.



HIGH
QUALITY
MATERIAL

HIGH QUALITY MATERIAL

To obtain a unique product, hi-tech materials have been used.



ANTI
SPLINTER

ANTI SPLINTER

J-FLEX technology allows the carbon fiber to be coated, protecting the rider from possible splinters in case of impact breakage.



RACING THE FUTURE


JK1



FIA STANDARD 8870-2018



EASY FASTENING DEVICE





STUDIED IN EVERY DETAIL

FITTING

**1ST AND UNIQUE RIB PROTECTOR.
THE SHIELD CAN BE WORN INTERNALLY
OR EXTERNALLY TO THE BODY**

JK1




CHARTS

CATEGORY	CODE	SIZE	FIA SIZE	DESCRIPTION
KID	JK1XXS134	XXS	1160 - 1340	JK1 XXS FIA 1160-1340 S0 H.KBP.015.24-A
	JK12XS152	2XS-	1340 - 1520	JK1 -2XS(-) FIA 1340-1520 S1- H.KBP.015.24-A
	JK1XS152	XS-	1340 - 1520	JK1 XS FIA 1340-1520 S1- H.KBP.015.24-A
	JK1XS170	XS	1520 - 1700	JK1 XS FIA 1520-1700 S1 H.KBP.015.24-A
	JK1S152	S-	1340 - 1520	JK1 S- FIA 1340-1520 S1- H.KBP.015.24-A
	JK1S170	S	1520 - 1700	JK1 S FIA 1520-1700 S1 H.KBP.015.24-A
	JK1S188	S+	1700 - 1880	JK1 S+ FIA 1520-1700 S2 H.KBP.015.24-A

CATEGORY	CODE	SIZE	FIA SIZE	DESCRIPTION
MAN	JK1SM170	SM-	1520 - 1700	JK1 SM- FIA 1520-1700 S1 H.KBP.015.24-A
	JK1SM188	SM	1700 - 1880	JK1 SM FIA 1700-1880 S2 H.KBP.015.24-A
	JK1M170	M	1520 - 1700	JK1 M FIA 1520-1700 S1 H.KBP.015.24-A
	JK1M188		1700 - 1880	JK1 M FIA 1700-1880 S2 H.KBP.015.24-A
	JK1L170	L	1520 - 1700	JK1 L FIA 1520-1700 S1 H.KBP.015.24-A
	JK1L188		1700 - 1880	JK1 L FIA 1700-1880 S2 H.KBP.015.24-A
	JK1XL170	XL	1520 - 1700	JK1 XL FIA 1520-1700 S1 H.KBP.015.24-A
	JK1XL188		1700 - 1880	JK1 XL FIA 1700-1880 S2 H.KBP.015.24-A

SIZE	CIRCUNFERENCE		WEIGHT	HEIGHT SHELL L2		HEIGHT CHEST L3		FIA SIZE				
	CM	INCH		GR.	CM	INCH	CM	INCH	1160-1340	1340-1520	1520-1700	1700-1800
SIZE CHEST PROTECTOR												
XXS	60/68 CM	23.6/26.8 INCH	590	11.5	4.5	17	6.7	X				
2XS-	60/68 CM	23.6/26.8 INCH	580	12.5	4.9	19	7.5		X			
XS-	68/75 CM	26.8/29.5 INCH	700	12.5	4.9	19	7.5		X			
XS	68/77 CM	26.8/30.3 INCH	820	14.5	5.7	22	8.7			X		
S-	75/84 CM	29.5/33.1 INCH	780	12.5	4.9	19	7.5		X			
S	75/86 CM	29.5/33.9 INCH	900	14.5	5.7	22	8.7			X		
S+	75/88 CM	29.5/34.6 INCH	1050	15.5	6.1	2.5	9.6					X
SM-	80/89 CM	31.5/35.0 INCH	800	14.5	5.7	22	8.7			X		
SM	80/91 CM	31.5/35.8 INCH	1000	15.5	6.1	24.5	9.6					X
M	85/94 CM	33.5/37.0 INCH	900	15.5	6.1	22	8.7			X		
	85/96 CM	33.5/38.6 INCH	1050	15.5	6.1	24.5	9.6					X
L	92/101 CM	36.2/39.8 INCH	970	15.5	6.1	22	8.7			X		
	92/103 CM	36.2/40.6 INCH	1120	15.5	6.1	24.5	9.6					X
XL	102/111 CM	40.2/43.7 INCH	1120	15.5	6.1	22	8.7			X		
	102/113 CM	40.2/44.5 INCH	1270	15.5	6.1	24.5	9.6					X

JK1



RACING THE FUTURE

JRIB




CHARTS

CATEGORY	CODE	SIZE	DESCRIPTION
KID	2000101XXS	XXS	JECKO JRIB SIZE XXS
	20001012XS	2XS-	JECKO JRIB SIZE 2XS-
	2000101XS-	XS-	JECKO JRIB SIZE XS-
	2000101S-	S-	JECKO JRIB SIZE S-

CATEGORY	CODE	SIZE	DESCRIPTION
MAN	200010SM	SM-	JECKO JRIB SIZE SM-
	2000102M	M	JECKO JRIB SIZE M
	2000102L	L	JECKO JRIB SIZE L
	2000102XL	XL	JECKO JRIB SIZE XL

SIZE	CIRCUMFERENCE CHEST		WEIGHT	HEIGHT SHELL L2	
	CM	INCH		CM	INCH
XXS	60/68 CM	23.6/26.8 INCH	460	11,5	4.5
2XS-	60/68 CM	23.6/26.8 INCH	450	12,5	4.9
XS-	68/77 CM	26.8/30.3 INCH	530	12,5	4.9
S-	75/86 CM	29.5/33.9 INCH	600	12,5	4.9
SM-	80/91 CM	31.5/35.8 INCH	610	14,5	5.7
M	85/96 CM	33.5/37.8 INCH	700	15,5	6.1
L	91/103 CM	36.2/40.6 INCH	770	15,5	6.1
XL	102/113 CM	40.2/44.5 INCH	920	15,5	6.1

JRIB



JRIB ACCESSORIES

We offer two replacement parts: the band for the JRIB and the straps for both the JRIB and the JK1, according to the size. This allow you to use the Rib protector longer.



BANDS

CODE	SIZE	DESCRIPTION	AVAILABLE FOR JRIB
2010101	S0	JRIB BAND	XXS
2010102	S1-	JRIB BAND	2XS- / XS- / S-
2010103	S1/S2	JRIB BAND	XS / S / S+ / SM- / SM M / L / XL



RIB STRAPS

CODE	SIZE	DESCRIPTION	AVAILABLE FOR
2011101	P14	RIB STRAP	XXS
2011102	P16	RIB STRAP	2XS- / XS-
2011103	P18	RIB STRAP	XS
2011104	P21	RIB STRAP	S- / S
2011105	M18	RIB STRAP	S+ / SM- / SM
2011106	M21.5	RIB STRAP	M
2011107	G24	RIB STRAP	L / XL



VIA MAESTRI DEL LAVORO, 24
33080 FIUME VENETO (PN) ITALIA

info@jeckoracing.com